

NOVUS
DESIGNS & FINISHING

COLLECTION

 **COOTAW[®]**

HOB HOOD/OVEN/MICROWAVE /DISHWASHER
REFRIGERATOR/RED WINE/COFFEE MACHINE

KITCHEN APPLIANCES



CONTENTS

Page. 02-13.	Islad Hood
Page. 14-15.	Cabinet Hood
Page. 16-24.	Wall Hood
Page. 25.	Hob Hood
Page. 26-42.	Gas Hob
Page. 43-46.	Ceramic Hob
Page. 47-53.	Built-in Oven
Page. 54-55.	Warming Drawer
Page. 56-59.	Integrated Hob
Page. 60-65.	Oven Hob
Page.66-67	Built-in Microwave
Page.68-69	Steam Box
Page.70-73	Dishwasher
Page.74-77	Sink Dishwasher
Page.78-79	Washing Machine
Page.80	Garbage disposal
Page.81-91	Refrigerator
Page.92-93	Sterilizer
Page.94-95	Coffee Machine
Page.96-98	Wine Cabinet



CEILING - HOOD



Art.No.:VT-CH1100W **MOQ:30pcs**

■ **Category:** Ceiling

■ **Material:** Inox Aisi 430/304 & Tempered Glass

■ **Measurement:** 1000MM

■ **Specification**

LED 1 x 8W & Luminous Zone
3 Speeds Touch control with Remote Control
4 x 5 layers Aluminum Filters
Remote Control


■ **Optional**

Recirculation(Charcoal Filter)

■ **Air flow:** 1000m³/h

■ **Package**

Gross Weight: 28Kg
Net Weight: 24Kg
Loading(20/40/HQ): 90/192/224
Packing Dimensions(HxWxD):
1090x375x745mm



Art.No.:VT-H36B **MOQ:30pcs**

■ **Category:** Island

■ **Material:** 430# S.S/Black Painted & Tempered Glass

■ **Measurement:**500MM


■ **Specification**

LED 2 x 1.5W
3 Speeds Touch control
1 x 3 layers Washable Aluminum Grease Filter
Remote Control
Recirculation(Charcoal Filter)

■ **Air flow:**650m³/h

■ **Package**

Gross Weight:23.5Kg
Net Weight:21Kg
Loading(20/40/HQ):180/368/460
Packing Dimensions(HxWxD):
590X485X510mm





Art.No.:VT-3518CIS

■ **Category:** Island

■ **Material:** Inox Aisi 430/304 & Tempered Glass

■ **Measurement:** 1800/2100MM

■ **Specification**

LED 8 x 1.5W
3 Speeds LCD Electronic Button
3 x 5 layers Washable Aluminum Grease Filter


■ **Optional**

Recirculation(Charcoal Filter)

■ **Air flow:** 580-1450m³/h

■ **Package**

Gross Weight: 50Kg
Net Weight: 47Kg
Packing Dimensions(HxWxD):
970/1270x630x675mm(900/1200mm)
970x630x675mm(900mm)
990x230x670mm(Light box)



Art.No.:VT-3288B

■ **Category:** Island

■ **Material:** 430# S.S/Black Painted

■ **Measurement:** 350MM

■ **Specification**

LED 2 x 1W
3 Speeds Electronic Button
1 x 3 layers Washable Aluminum Grease Filter
with Stainless Steel Surface


■ **Optional**

Recirculation(Charcoal Filter)

■ **Air flow:** 1000m³/h

■ **Package**

Gross Weight: 15.5Kg
Net Weight: 13.5Kg
Loading(20/40/HQ): 120/248/310
Packing Dimensions(HxWxD):
990x420x515mm



COOKER HOODS

ISLAND TYPE

LAMPBLACK MACHINE



Art.No.:VT-3288E1IR TWIN

■ **Category:** Island

■ **Material:** Inox Aisi 430/304 & Tempered Glass

■ **Measurement:** 1200MM

■ **Specification**

LED 6 x 1W
3 Speeds Double Electronic Button
2 x 3 layers Washable Aluminum Grease Filter
with Stainless Steel Surface


■ **Optional**

Recirculation(Charcoal Filter)

■ **Air flow:** 2 x1000m³/h

■ **Package**


Gross Weight:66Kg
Net Weight:60Kg
Loading(20/40/HQ):64/138/148
Packing Dimensions(HxWxD):
2x(735x415x420mm) & 2x(365x365x620mm)






Art.No.:VT-3288C1

- **Category:** Island
- **Material:** Inox Aisi 430/304 & Tempered Glass
- **Measurement:** 350MM
- **Specification**
LED 3 x 1W
3 Speeds Electronic Button
1 x 3 layers Washable Aluminum Grease Filter with Stainless Steel Surface
- **Optional**
Recirculation(Charcoal Filter)
- **Air flow:** 1000m³/h
- **Package**
Gross Weight: 24.5Kg
Net Weight: 22Kg
Loading(20/40/HQ): 128/275/298
Packing Dimensions(HxWxD):
735x415x420mm(body)
385x385x626mm(chimney)




Art.No.:VT-3288C

- **Category:** Island
- **Material:** Inox Aisi 430/304 & Tempered Glass
- **Measurement:** 900MM
- **Specification**
Halogen 4 x 20W
3 Speeds Electronic Button
1 x 5 layers Washable Aluminum Grease Filter
- **Optional**
Recirculation(Charcoal Filter)
- **Air flow:** 700m³/h
- **Package**
Gross Weight: 17Kg&12Kg&8Kg
Net Weight: 15Kg&10Kg&7.5Kg
Loading(20/40/HQ): 96/204/204
Packing Dimensions(HxWxD):
660x385x680mm(body)
385x385x626mm(chimney)
960x960x30mm(glass)




Art.No.:VT-3503GIS **MOQ:30pcs**

- **Category:** Island
- **Material:** Inox Aisi 430/304
- **Measurement:** 350MM
- **Specification**
Halogen 4 x 20W
3 Speeds Electronic Button
1 x 5 layers Washable Aluminum Grease Filter
- **Optional**
Recirculation(Charcoal Filter)
- **Air flow:** 700m³/h
- **Package**
Gross Weight: 24Kg
Net Weight: 20Kg
Loading(20/40/HQ): 160/335/402
Packing Dimensions(HxWxD):
855x450x415mm



Art.No.:VT-3503CIS


- **Category:** Island
- **Material:** Inox Aisi 430/304 & Tempered Glass
- **Measurement:** 900MM
- **Specification**
Halogen 4 x 20W
3 Speeds Electronic Button
3 x 5 layers Washable Aluminum Grease Filter
- **Optional**
Recirculation(Charcoal Filter)
- **Air flow:** 700m³/h
- **Package**
Gross Weight: 35Kg
Net Weight: 32Kg
Loading(20/40/HQ): 110/216/280
Packing Dimensions(HxWxD):
945x415x665mm






Art.No.:VT-DF28A

- **Category:** Island
- **Material:** Inox Aisi 430/304 & Tempered Glass
- **Measurement:**900MM
- **Specification**
 - LED 2 X 1W
 - 4 Speeds LCD Slide Touch Control
 - Automatic Slide Out
 - 2 x 5 layers Washable Aluminum Grease Filters
- **Optional**
 - Recirculation(Charcoal Filter)
- **Air flow:**1000m³/h
- **Package**
 - Gross Weight: 34.5Kg
 - Net Weight:28.5Kg
 - Loading(20/40/HQ):62/126/144
 - Packing Dimensions(HxWxD):965x490x805mm



Art.No.:YD-ZWC43H

- Four burner Ceramic cooker
- Power:2300W+1200W+2000W+1200W
- Product Size:900x430mm
- Cut-off Size:870x400mm
- Carton Size:950x485x130mm
- Gross Weight:14.0kg
- Net Werght:12.5kg





Art.No.:VT-910C **MOQ:30pcs**

■ **Category:** Wall hanging


■ **Material:** Paint&Inox Aisi 430/304

■ **Measurement:**900MM

■ **Specification**
2 x 2W LED Light
3 Speeds Push Button
2/3 x 5 layers Washable Aluminum Grease Filter
Recirculation(Charcoal Filter)

■ **Air flow:**700m³/h

■ **Package**
Gross Weight:16Kg
Net Weight:12.5Kg
Loading(20/40/HQ):184/376/410
Packing Dimensions(HxWxD):955*330*480mm



Art.No.:VT-6005

■ **Category:** Wall hanging

■ **Material:** Inox Aisi 430/304


■ **Measurement:**600/900MM

■ **Specification**
Incandescent Blub 2 x 40W
3 Speeds Push Button
2/3 x 5 layers Washable Aluminum Grease Filter

■ **Optional**
Recirculation(Charcoal Filter)

■ **Air flow:**500m³/h(two motors)

■ **Package**
Gross Weight:6.4Kg(600mm)/8Kg(900mm)
Net Weight:5.6Kg(600mm)/7Kg(900mm)
Loading(20/40/HQ):396/792/978(600mm)
264/544/640(900mm)
Packing Dimensions(HxWxD):
637x172x525mm(600mm)
935x172x525mm(900mm)



Art.No.:VT-6002

■ **Category:** Wall hanging

■ **Material:** Paint&Inox Aisi 430/304


■ **Measurement:**600/900MM

■ **Specification**
Incandescent Blub 2 x 40W
3 Speeds Push Button
2/3 x 5 layers Washable Aluminum Grease Filter

■ **Optional**
Recirculation(Charcoal Filter)

■ **Air flow:**500m³/h(two motors)

■ **Package**
Gross Weight:10Kg(600mm)/12Kg(900mm)
Net Weight:9Kg(600mm)/10.5Kg(900mm)
Loading(20/40/HQ):526/1080/1260(600mm)
360/720/840(900mm)
Packing Dimensions(HxWxD):
655x225x355mm(600mm)
960x255x355mm(900mm)



Art.No.:VT-7508A

■ **Category:** Wall hanging

■ **Material:** Paint&Inox Aisi 430/304


■ **Measurement:**750MM

■ **Specification**
Halogen 2 x 40W
3 Speeds Rocker Switch
1 x 5 layers Washable Aluminum Grease Filter

■ **Optional**
Recirculation(Charcoal Filter)

■ **Air flow:**500m³/h

■ **Package**
Gross Weight:8.5Kg
Net Weight:7.5Kg
Loading(20/40/HQ):336/700/800
Packing Dimensions(HxWxD):
785x210x340mm





Art.No.:VT-3290B

■ **Category:** Wall hanging

■ **Material:** Inox Aisi 430/304 & Tempered Glass

■ **Measurement:**900MM


■ **Specification**

LED 1 x 1.5W
3 Speeds Push Button
2 Baffle Filter with Stainless Steel Surface
1X Grease Cup
160mm Air Outlet
Pressurized Cruise

■ **Air flow:**1380m³/h

■ **Package**

Gross Weight:22Kg
Net Weight:19Kg
Loading(20/40/HQ):118/241/259
Packing Dimensions(HxWxD):
945x460x545mm



WALL TYPE HOOD



Art.No.:VT-2203S

■ **Category:** Wall hanging

■ **Material:** Inox Aisi 430/304 & Glass

■ **Measurement:**900MM


■ **Specification**

LED 1 x 1.5W
3 Speeds LCD Touch Control
Baffle Filter with Stainless Steel Surface
1X Grease Cup
180mm Air Outlet
Somatosensory on-off
Automatic lifting

■ **Air flow:**1320m³/h

■ **Package**

Gross Weight:32Kg
Net Weight:26Kg
Loading(20/40/HQ):74/150/162
Packing Dimensions(HxWxD):
960X445X1020mm




Art.No.:VT-2816B

■ **Category:** Wall hanging

■ **Material:** Inox Aisi 430/304 & Tempered Glass

■ **Measurement:** 900MM

■ **Specification**

LED 1 x 1.5W

3 Speeds Push Button

1 Baffle Filter with Stainless Steel Surface

1X Grease Cup

180mm Air Outlet

Somatosensory on-off

Automatic lifting

■ **Air flow:** 1380m³/h

■ **Package**


Gross Weight: 22Kg

Net Weight: 19Kg

Loading(20/40/HQ): 118/241/259

Packing Dimensions(HxWxD):

945x460x545mm





Art.No.:VT-2890S

■ **Category:** Wall hanging


■ **Material:** Inox Aisi 430/304 & Tempered Glass

■ **Measurement:**900MM

■ **Specification**
LED 1 x 1.5W
3 Speeds LCD Touch Control
Baffle Filter with Stainless Steel Surface
1X Grease Cup
160mm Air Outlet
Two motors
Somatosensory on-off

■ **Air flow:**1320m³/h

■ **Package**
Gross Weight:32Kg
Net Weight:26Kg
Loading(20/40/HQ):74/150/162
Packing Dimensions(HxWxD):
960X445X1020mm



Art.No.:VT-90G

■ **Category:** Wall hanging


■ **Material:** Inox Aisi 430/304 & Tempered Glass

■ **Measurement:**900MM

■ **Specification**
LED 2 x 1.5W
3 Speeds LCD Touch Control
1 x Baffle Filter with Stainless Steel Surface
1X Grease Cup
160mm Air Outlet
Somatosensory on-off

■ **Air flow:**1000m³/h

■ **Package**
Gross Weight:24Kg
Net Weight:19Kg
Loading(20/40/HQ):98/199/215
Packing Dimensions(HxWxD):
975x515x655mm



Art.No.:VT-82N

■ **Category:** Wall hanging


■ **Material:** Inox Aisi 430/304 & Tempered Glass

■ **Measurement:**900MM

■ **Specification**
LED 2 x 15W
3 Speeds LCD Touch Control
Baffle Filter with Stainless Steel Surface
1X Grease Cup
160mm Air Outlet

■ **Air flow:**900m³/h

■ **Package**
Gross Weight:20Kg
Net Weight:16Kg
Loading(20/40/HQ):88/180/194
Packing Dimensions(HxWxD):
940x635x610mm



Art.No.:VT-3503B

■ **Category:** Wall hanging


■ **Material:** Inox Aisi 430/304 & Glass

■ **Measurement:**900MM

■ **Specification**
LED 1 x 15W
2 Speeds LCD Touch Control
Baffle Filter with Stainless Steel Surface
1X Grease Cup
180mm Air Outlet
Somatosensory on-off

■ **Air flow:**1020m³/h

■ **Package**
Gross Weight:17Kg
Net Weight:25Kg
Loading(20/40/HQ):136/272/320
Packing Dimensions(HxWxD):
960x370x570mm





Art.No.:VT-3502B

■ **Category:** Wall hanging


■ **Material:** Inox Aisi 430/304 & Glass

■ **Measurement:**900MM

■ **Specification**
LED 1 x 15W
2 Speeds LCD Touch Control
Baffle Filter with Stainless Steel Surface
1X Grease Cup
180mm Air Outlet
Somatosensory on-off

■ **Air flow:**1380m³/h

■ **Package**
Gross Weight:17Kg
Net Weight:25Kg
Loading(20/40/HQ):136/272/320
Packing Dimensions(HxWxD):
960x370x570mm



Art.No.:VT-3503C8

■ **Category:** Wall hanging


■ **Material:** Inox Aisi 430/304 & Glass

■ **Measurement:**900MM

■ **Specification**
Halogen 2 x 20W
3 Speeds LCD Touch Control
3 x 5 layers Washable Aluminum Grease Filter
1X Grease Cup
160mm Air Outlet

■ **Air flow:**700m³/h

■ **Package**
Gross Weight:13Kg
Net Weight:11.5Kg
Loading(20/40/HQ):136/272/320
Packing Dimensions(HxWxD):
960x370x570mm



Art.No.:VT-2008A8

■ **Category:** Wall hanging


■ **Material:** Inox Aisi 430/304 & Glass

■ **Measurement:**900MM

■ **Specification**
LED 2 x 15W
2 Speeds Touch Control
Baffle Filter with Stainless Steel Surface
1X Grease Cup
160mm Air Outlet

■ **Air flow:**700m³/h

■ **Package**
Gross Weight:17Kg
Net Weight:15Kg
Loading(20/40/HQ):92/188/202
Packing Dimensions(HxWxD):
960x640x580mm



Art.No.:VT-3503C

■ **Category:** Wall hanging


■ **Material:** Inox Aisi 430/304

■ **Measurement:**600/900MM

■ **Specification**
Halogen 2 x 20W
3 Speeds Push Button
3 x 5 layers Washable Aluminum Grease Filter
1X Grease Cup
160mm Air Outlet

■ **Air flow:**700m³/h

■ **Package**
Gross Weight:14.6Kg
Net Weight:9.2Kg
Loading(20/40/HQ):144/288/336
Packing Dimensions(HxWxD):
640x390x520mm(600)
925x420x520mm(900)



Art.No.:VT-3503A

■ **Category:** Wall hanging


■ **Material:** Inox Aisi 430/304

■ **Measurement:**600/900MM

■ **Specification**
Halogen 2 x 20W
3 Speeds Push Button
3 x 5 layers Washable Aluminum Grease Filter
1X Grease Cup
160mm Air Outlet

■ **Air flow:**700m³/h

■ **Package**
Gross Weight:14.6Kg
Net Weight:9.2Kg
Loading(20/40/HQ):144/288/336
Packing Dimensions(HxWxD):
640x390x520mm(600)
925x420x520mm(900)




Art.No.:VT-802

■ **Category:** Wall hanging

■ **Material:** Inox Aisi 430/304 & Tempered Glass

■ **Measurement:**900MM


■ **Specification**

Halogen 2 x 20W
3 Speeds LCD Push Button
Baffle Filter with Stainless Steel Surface
1X Grease Cup
160mm Air Outlet

■ **Air flow:**900m³/h

■ **Package**

Gross Weight:16.5Kg
Net Weight:14.5Kg
Loading(20/40/HQ):103/211/227
Packing Dimensions(HxWxD):
940x580x570mm


Art.No.:VT-803

■ **Category:** Wall hanging

■ **Material:** Inox Aisi 430/304 & Tempered Glass

■ **Measurement:**900MM


■ **Specification**

Halogen 2 x 20W
3 Speeds LCD Push Button
2 x 5 layers Washable Aluminum Grease Filter
1X Grease Cup
160mm Air Outlet

■ **Air flow:**900m³/h

■ **Package**

Gross Weight:16.5Kg
Net Weight:14.5Kg
Loading(20/40/HQ):103/211/227
Packing Dimensions(HxWxD):
940x580x570mm


Art.No.:VT-83B

■ **Category:** Wall hanging

■ **Material:** Inox Aisi 430/304 & Tempered Glass

■ **Measurement:**830MM



■ **Specification**

LED 2 x 1W
3 Speeds LCD Touch Control
Baffle Filter with Stainless Steel Surface
1X Grease Cup
160mm Air Outlet
Two motors

■ **Air flow:**900m³/h

■ **Package**

Gross Weight:25Kg
Net Weight:21Kg
Loading(20/40/HQ):118/241/259
Packing Dimensions(HxWxD):
860x435x515mm


Art.No.:YD-70A2 **MOQ:30pcs**

■ **Category:** Induction cooker & Hood

■ **Material:** Inox Aisi 430/304 & Black Cermaic Glass

■ **Measurement:**700MM

■ **Specification**

3 Speeds Touch Control
1 x 3 Iayers Washable Aluminum Grease Filter with
Stainless Steel Surface
Touch Control
Black frameless
4 induction cook top
Left: 1 x 1.5Kw + 1 x 2Kw
Right: 1 x 1.5Kw + 1 x 2Kw(Total 7KW)
9 levels digital power display
Individual residual heat indicators
Electronic timer
Pan Sensor
Child safety lock
Automatic safety switch off

■ **Air flow:**600m³/h

■ **Optional**

Recirculation (Charcoal Filter)

■ **Package**

Gross weight: 26Kg
Net weight: 21Kg
Dimension: 700 x510x331mm
Built-in size: 680 x490x331mm
Packing size: 810x600x445mmmm
Loading(20/40/HQ):125/260/260



Art.No.:S05

■ **Category:** burning gas

■ **Material:** stainless steel

■ **Measurement:** 860MM

■ **Specification**

Accidental flameout protection device

Furnace frame material: cast iron

Installation method: embedded

Number of furnace head: 5

Copper Burner

Furnace head power:

1x4200w, 1x2400w, 2x1500w, 1x800w

Ignition way: electronic pulse

Applicable Gas: LPG, NG, TG

■ **Package**

Gross weight: 13.5 Kg


Net weight: 11.5 Kg

Dimension: 860 x 510 x 70mm

Built-in size: 830 x 470 x 100mm

Packing size: 910 x 560 x 170mm

Loading(20/40/HQ): 372/758/816





S04



G04

Art.No.:S04/G04

■Category:burning gas

■Material: stainless steel

■Measurement:580MM

■Specification

Accidental flameout protection device

Furnace frame material: cast iron

Installation method: embedded

Number of furnace head: 4

Copper Burner

Furnace head power:

1x5000w,1x2400w,2x1500w

Ignition way: electronic pulse

Applicable Gas: LPG, NG, TG

■Package

Gross weight: 11Kg


Net weight: 9 Kg

Dimension: 580 x500x70mm

Built-in size: 560 x480x100mm

Packing size: 630 x560x170mm

Loading(20/40/HQ):504/1064/1216



S03

Art.No.:S03

■Category:burning gas

■Material: stainless steel

■Measurement:580MM

■Specification

Accidental flameout protection device

Furnace frame material: cast iron

Installation method: embedded

Number of furnace head: 3

Copper Burner

Furnace head power:

1x5000w,1x2400w,1x1500w

Ignition way: electronic pulse

Applicable Gas: LPG, NG, TG

■Package

Gross weight: 11Kg


Net weight: 9 Kg

Dimension: 580 x500x70mm

Built-in size: 550 x470x100mm



Packing size: 630 x560x170mm

Loading(20/40/HQ):504/1064/1216





Ground tempered glass




Art.No.:B48

- **Category:** burning gas
- **Material:** tempered glass
- **Measurement:** 750MM
- **Specification**
Accidental flameout protection device
Furnace frame material: cast iron
Installation method: embedded
Number of furnace head: 2
Copper Burner
Furnace head power:
2x4800w,
Ignition way: electronic pulse
Applicable Gas: LPG, NG, TG
- **Package**
Gross weight: 15Kg
Net weight: 13.5 Kg
Dimension: 750 x430x70mm
Built-in size: 630 x350x100mm
Packing size: 815 x505x230mm
Loading(20/40/HQ):408/830/893




Art.No.:RQ1B10


- **Category:** burning gas
- **Material:** tempered glass
- **Measurement:** 750MM
- **Specification**
Accidental flameout protection device
Furnace frame material: cast iron
Installation method: embedded
Number of furnace head: 2
Copper Burner
Furnace head power:
2x4500w,
Ignition way: electronic pulse
Applicable Gas: LPG, NG, TG
- **Package**
Gross weight: 14.8Kg
Net weight: 13.2 Kg
Dimension: 750 x450x70mm
Built-in size: 700 x400x100mm
Packing size: 785 x485x186mm
Loading(20/40/HQ):408/830/893



Art.No.:308B

- **Category:** burning gas
- **Material:** tempered glass
- **Measurement:** 730MM
- **Specification**
Accidental flameout protection device
Furnace frame material: cast iron
Installation method: embedded
Number of furnace head: 2
Copper Burner
Furnace head power:
2x4200w,
Ignition way: electronic pulse
Applicable Gas: LPG, NG, TG
- **Package**
Gross weight: 10.5Kg
Net weight: 9.5 Kg
Dimension: 730 x410x70mm
Built-in size: 630 x350x100mm
Packing size: 785 x480x202mm
Loading(20/40/HQ):408/830/893





Art.No.:YD-602G2E

■ **Category:**burning gas & electric

■ **Material:** colors stainless steel


■ **Measurement:**580MM

■ **Specification**

Furnace frame material: cast iron
Installation method: embedded
Number of furnace head: 4
Furnace head power:
1x2000w,1x1500w & 1x1500w,1x800w
Ignition way: electronic pulse
Applicable Gas: LPG, NG, TG

■ **Package**

Gross weight: 11 Kg
Net weight: 9 Kg
Dimension: 580 x500x70mm
Built-in size: 550 x470x100mm
Packing size: 630 x560x180mm
Loading(20/40/HQ):504/1064/1216



Art.No.:YD-86L5ZA **MOQ:30pcs**

■ **Category:**burning gas

■ **Material:** stainless steel


■ **Measurement:**860MM

■ **Specification**

Furnace frame material: cast iron
Installation method: embedded
Number of furnace head: 5
Furnace head power:
1x3200w,1x2400w,2x1500w,1x800w
Ignition way: electronic pulse
Applicable Gas: LPG, NG, TG

■ **Package**

Gross weight: 13.5 Kg
Net weight: 11.5 Kg
Dimension: 860 x510x70mm
Built-in size: 830 x470x100mm
Packing size: 910 x560x170mm
Loading(20/40/HQ):372/758/816



Art.No.:YD-86L4G1E

■ **Category:**burning gas & electric

■ **Material:** stainless steel


■ **Measurement:**860MM

■ **Specification**

Furnace frame material: cast iron
Installation method: embedded
Number of furnace head: 5
Furnace head power:
1x2000w & 1x2400w,2x1500w,1x800w
Ignition way: electronic pulse
Applicable Gas: LPG, NG, TG

■ **Package**

Gross weight: 13.5 Kg
Net weight: 11.5 Kg
Dimension: 860 x510x70mm
Built-in size: 830 x470x100mm
Packing size: 910 x560x170mm
Loading(20/40/HQ):372/758/816



Art.No.:YD-86L5ZB

■ **Category:**burning gas

■ **Material:** stainless steel


■ **Measurement:**860MM

■ **Specification**

Furnace frame material: cast iron
Installation method: embedded
Number of furnace head: 5
Furnace head power:
1x3200w,1x2400w,2x1500w,1x800w
Ignition way: electronic pulse
Applicable Gas: LPG, NG, TG

■ **Package**


Gross weight: 13.5 Kg
Net weight: 11.5 Kg
Dimension: 860 x510x70mm
Built-in size: 830 x470x100mm
Packing size: 910 x560x170mm
Loading(20/40/HQ):372/758/816



Art.No.:YD-90ABCCD **MOQ:30pcs**

- **Category:** burning gas
- **Material:** stainless steel
- **Measurement:** 860MM
- **Specification**
Furnace frame material: cast iron
Installation method: embedded
Number of furnace head: 6
Furnace head power:
1x3200w,1x2400w,3x1500w,1x800w
Ignition way: electronic pulse
Applicable Gas: LPG, NG, TG

- **Package**
Gross weight: 10.5 Kg
Net weight: 9.5 Kg
Dimension: 860 x510x70mm
Built-in size: 835 x470x100mm
Packing size: 915 x560x180mm
Loading(20/40/HQ): 372/758/816



Art.No.:YD-90SF6BF

- **Category:** burning gas & electric
- **Material:** stainless steel
- **Measurement:** 860MM
- **Specification**
Furnace frame material: cast iron
Installation method: embedded
Number of furnace head: 6
Furnace head power:
1x3200w,2x1500w,1x1200w,2x800w
Ignition way: electronic pulse
Applicable Gas: LPG, NG, TG


- **Package**
Gross weight: 10.5 Kg
Net weight: 9.5 Kg
Dimension: 860 x510x70mm
Built-in size: 835 x470x100mm
Packing size: 915 x560x180mm
Loading(20/40/HQ): 372/758/816



Art.No.:YD-76SF5B

- **Category:** burning gas
- **Material:** stainless steel
- **Measurement:** 760MM
- **Specification**
Furnace frame material: cast iron
Installation method: embedded
Number of furnace head: 5
Furnace head power:
1x3200w,1x2400w,2x1500w,1x800w
Ignition way: electronic pulse
Applicable Gas: LPG, NG, TG


- **Package**
Gross weight: 13.5 Kg
Net weight: 11.5 Kg
Dimension: 760 x500x70mm
Built-in size: 730 x470x100mm
Packing size: 820 x550x180mm
Loading(20/40/HQ): 379/809/871



Art.No.:YD-76SFD21S

- **Category:** burning gas
- **Material:** stainless steel
- **Measurement:** 720MM
- **Specification**
Furnace frame material: enamel
Installation method: embedded
Number of furnace head: 2
Furnace head power:
2x3200w
Ignition way: electronic pulse
Applicable Gas: LPG, NG, TG


- **Package**
Gross weight: 11 Kg
Net weight: 9 Kg
Dimension: 720 x400x70mm
Built-in size: 630 x350x100mm
Packing size: 750 x425x200mm
Loading(20/40/HQ): 348/696/754



Art.No.:YD-76SF3BS

- **Category:** burning gas & electric
- **Material:** stainless steel
- **Measurement:** 750MM
- **Specification**
Furnace frame material: cast iron
Installation method: embedded
Number of furnace head: 3
Furnace head power:
2x3200w,1x1500w
Ignition way: electronic pulse
Applicable Gas: LPG, NG, TG


- **Package**
Gross weight: 11Kg
Net weight: 9 Kg
Dimension: 750 x430x70mm
Built-in size: 680 x380x100mm
Packing size: 810 x500x210mm
Loading(20/40/HQ): 330/650/750






Art.No.:YD-60SL4C

- **Category:** burning gas
- **Material:** stainless steel
- **Measurement:**580MM
- **Specification**
Furnace frame material: cast iron
Installation method: embedded
Number of furnace head: 4
Furnace head power:
1x3200w,2x1500w,1x800w
Ignition way: electronic pulse
Applicable Gas: LPG, NG, TG
- **Package**
Gross weight: 11Kg
Net weight: 9 Kg
Dimension: 580 x500x70mm
Built-in size: 550 x470x100mm
Packing size: 630 x560x170mm
Loading(20/40/HQ):504/1064/1216




Art.No.:YD-60SL4AE MOQ:30pcs

- **Category:** burning gas & electric
- **Material:** stainless steel
- **Measurement:**580MM
- **Specification**
Furnace frame material: enamel
Installation method: embedded
Number of furnace head: 4
Furnace head power:
3x1500w,1x800w
Ignition way: electronic pulse
Applicable Gas: LPG, NG, TG
- **Package**
Gross weight: 11 Kg
Net weight: 9 Kg
Dimension: 580 x500x70mm
Built-in size: 550 x470x100mm
Packing size:630 x560x170mm
Loading(20/40/HQ):504/1064/1216




Art.No.:YD-6022DL MOQ:30pcs

- **Category:** burning gas & electric
- **Material:** stainless steel
- **Measurement:**580MM
- **Specification**
Furnace frame material: enamel
Installation method: embedded
Number of furnace head: 4
Furnace head power:
1x1500w,1x1200w,2x800w
Ignition way: electronic pulse
Applicable Gas: LPG, NG, TG
- **Package**
Gross weight: 11 Kg
Net weight: 9 Kg
Dimension: 580 x500x70mm
Built-in size: 550 x470x100mm
Packing size: 630 x560x180mm
Loading(20/40/HQ):504/1064/1216



Art.No.:YD-6014HDS


- **Category:** electric
- **Material:** stainless steel
- **Measurement:**580MM
- **Specification**
Installation method: embedded
Number of furnace head: 4
Furnace head power:
1x1500w,2x1200w,1x800w
Overheating overtemperature protection
- **Package**
Gross weight: 10.5Kg
Net weight: 8.5 Kg
Dimension: 580 x500x70mm
Built-in size: 550 x470x100mm
Packing size: 630 x560x180mm
Loading(20/40/HQ):504/1064/1216






Art.No.:YD-30SF2CE

- **Category:** electric
- **Material:** stainless steel
- **Measurement:**300MM
- **Specification**
Installation method: embedded
Number of furnace head: 2
Furnace head power:
1x1200w,1x800w
Overheating overtemperature protection
- **Package**
Gross weight: 4.2 Kg
Net weight: 3.1 Kg
Dimension: 300 x500x70mm
Built-in size: 280 x480x100mm
Packing size:365 x560x180mm
Loading(20/40/HQ):960/1980/2244




Art.No.:YD-30SF2A

- **Category:** burning gas
- **Material:** stainless steel
- **Measurement:**300MM
- **Specification**
Furnace frame material: enamel
Installation method: embedded
Number of furnace head: 2
Furnace head power:
1x3200w,1x800w
Ignition way: electronic pulse
Applicable Gas: LPG, NG, TG
- **Package**
Gross weight: 4.2 Kg
Net weight: 3.1 Kg
Dimension: 300 x500x70mm
Built-in size: 280 x480x100mm
Packing size: 365 x560x180mm
Loading(20/40/HQ):960/1980/2244




Art.No.:YD-30SF1B

- **Category:** burning gas
- **Material:** stainless steel
- **Measurement:**300MM
- **Specification**
Furnace frame material: cast iron
Installation method: embedded
Number of furnace head: 1
Furnace head power:
1x3200w
Ignition way: electronic pulse
Applicable Gas: LPG, NG, TG
- **Package**
Gross weight: 4.2 Kg
Net weight: 3.1 Kg
Dimension: 300 x500x70mm
Built-in size: 280 x480x100mm
Packing size: 365 x560x180mm
Loading(20/40/HQ):960/1980/2244



Art.No.:YD-9015GA


- **Category:**burning gas
- **Material:** tempered glass
- **Measurement:**880MM
- **Specification**
Furnace frame material: cast iron
Installation method: embedded
Number of furnace head: 5
Furnace head power:
1x3200w,1x2400w,2x1500w,1x800w
Ignition way: electronic pulse
Applicable Gas: LPG, NG, TG
- **Package**
Gross weight: 17.86 Kg
Net weight: 15.63 Kg
Dimension: 880 x520x90mm
Built-in size: 830 x470x100mm
Packing size: 910 x560x170mm
Loading(20/40/HQ):372/758/816






Art.No.:YD-76GSF5A

- **Category:** burning gas
- **Material:** tempered glass
- **Measurement:**870MM
- **Specification**
Furnace frame material: enamel
Installation method: embedded
Number of furnace head: 5
Furnace head power:
1x3200w,1x2400w,2x1500w,1x800w
Ignition way: electronic pulse
Applicable Gas: LPG, NG, TG
- **Package**
Gross weight: 16.5 Kg
Net weight: 14.5 Kg
Dimension: 770 x510x70mm
Built-in size: 730 x470x100mm
Packing size:810 x560x180mm
Loading(20/40/HQ):408/830/893




Art.No.:YD-80GSF3C

- **Category:** burning gas
- **Material:** tempered glass
- **Measurement:**780MM
- **Specification**
Furnace frame material: enamel
Installation method: embedded
Number of furnace head: 3
Furnace head power:
2x3200w,1x800w
Ignition way: electronic pulse
Applicable Gas: LPG, NG, TG
- **Package**
Gross weight: 9.8 Kg
Net weight: 8.5 Kg
Dimension: 780 x450x70mm
Built-in size: 680 x380x100mm
Packing size:810 x500x210mm
Loading(20/40/HQ):408/830/893




Art.No.:YD-60GSL4C

- **Category:** burning gas
- **Material:** tempered glass
- **Measurement:**590MM
- **Specification**
Furnace frame material: cast iron
Installation method: embedded
Number of furnace head: 4
Furnace head power:
1x3200w,2x1500w,1x800w
Ignition way: electronic pulse
Applicable Gas: LPG, NG, TG
- **Package**
Gross weight: 13.5 Kg
Net weight: 11.5 Kg
Dimension: 590 x510x70mm
Built-in size: 550 x470x100mm
Packing size: 635 x570x180mm
Loading(20/40/HQ):495/1008/1085




Art.No.:YD-75L2CB


- **Category:** burning gas
- **Material:** tempered glass
- **Measurement:**720MM
- **Specification**
Furnace frame material: castrion
Installation method: embedded
Number of furnace head: 2
Furnace head power:
2x4100w,
Ignition way: electronic pulse
Applicable Gas: LPG, NG, TG
- **Package**
Gross weight: 10.5Kg
Net weight: 9.5 Kg
Dimension: 720 x400x70mm
Built-in size: 630 x350x100mm
Packing size: 770 x450x202mm
Loading(20/40/HQ):408/830/893



Art.No.:YD-30GSF2A

- **Category:** burning gas
- **Material:** tempered glass
- **Measurement:**310MM
- **Specification**
Furnace frame material: enamel
Installation method: embedded
Number of furnace head: 2
Furnace head power:
1x3200w,1x800w
Ignition way: electronic pulse
Applicable Gas: LPG, NG, TG
- **Package**
Gross weight: 6.2 Kg
Net weight: 5.1 Kg
Dimension: 310 x510x70mm
Built-in size: 280 x480x100mm
Packing size: 360 x560x180mm
Loading(20/40/HQ):960/1980/2244





Art.No.:YD-ZW600A

■ **Category:** burning gas & induction

■ **Material:** microcrystal



■ **Measurement:** 590MM







■ **Specification**

Furnace frame material: cast iron
 Installation method: embedded
 Number of furnace head: 4
 Furnace head power:
 1x3200w, 1x2400w, 1x1800w, 1x1200w
 Functional shift: 9
 Ignition way: electronic pulse
 Applicable Gas: LPG, NG, TG

■ **Package**

Gross weight: 13.5 Kg
 Net weight: 11.5 Kg
 Dimension: 590 x510x70mm
 Built-in size: 570 x490x60mm
 Packing size: 635 x570x180mm
 Loading(20/40/HQ):495/1008/1085





Art.No.:YD-800AE

■Category: electric ceramic

■Material: microcrystal

■Measurement:780MM

■Specification

Installation method: embedded
Number of furnace head: 6
Furnace head power:
6x1500w
Functional shift: 9
Timing: 180min

■Package

Gross weight: 17 Kg
Net weight: 15 Kg
Dimension: 780 x510x80mm
Built-in size: 760 x495x60mm
Packing size: 825 x580x140mm
Loading(20/40/HQ):372/758/816

Art.No.:YD-800AC

■Category: electric ceramic & induction

■Material: microcrystal

■Measurement:860MM

■Specification

Installation method: embedded
Number of furnace head: 6
Furnace head power:
3x1800w,3x1200w
Functional shift: 9
Timing: 180min

■Package

Gross weight: 17 Kg
Net weight: 15 Kg
Dimension: 860 x530x80mm
Built-in size: 830 x490x60mm
Packing size: 910 x580x135mm
Loading(20/40/HQ):372/758/816

Art.No.:YD-ZW800K

■Category: electric ceramic

■Material: microcrystal

■Measurement:595MM

■Specification

Installation method: embedded
Number of furnace head: 4
Furnace head power:
2x1800w,2x1200w
Functional shift: 10
Timing: 180min

■Package

Gross weight: 13 Kg
Net weight: 12. 7 Kg
Dimension: 595 x510x80mm
Built-in size: 570 x490x60mm
Packing size: 650 x580x135mm
Loading(20/40/HQ):590/1201/1294

Art.No.:YD-60ZW434EH

■Category: induction

■Material: microcrystal

■Measurement:595MM

■Specification

Installation method: embedded
Number of furnace head: 4
Furnace head power:
2x1800w,2x1200w
Functional shift: 10
Timing: 180min

■Package

Gross weight: 13 Kg
Net weight: 12. 7 Kg
Dimension: 595 x510x80mm
Built-in size: 570 x490x60mm
Packing size: 650 x580x135mm
Loading(20/40/HQ):590/1201/1294

Art.No.:YD-ZW222

■Category: electric ceramic

■Material: microcrystal

■Measurement:690MM

■Specification

Installation method: embedded
Number of furnace head: 2
Furnace head power:
2x2000w
Functional shift: 8
Timing: 180min

■Package

Gross weight: 13 Kg
Net weight: 11 Kg
Dimension: 690 x420x80mm
Built-in size: 640 x400x60mm
Packing size: 740 x470x135mm
Loading(20/40/HQ):688/1399/1506

Art.No.:YD-70ZW222EH

■Category: induction

■Material: microcrystal







■Measurement:690MM

■Specification

Installation method: embedded
Number of furnace head: 2
Furnace head power:
2x2000w
Functional shift: 8
Timing: 180min

■Package

Gross weight: 13 Kg
Net weight: 11 Kg
Dimension: 690 x420x80mm
Built-in size: 640 x400x60mm
Packing size: 740 x470x135mm
Loading(20/40/HQ):688/1399/1506




Art.No.:YD-ZW400E

■ **Category:** electric ceramic

■ **Material:** microcrystal


■ **Measurement:**300MM

■ **Specification**

Installation method: embedded
Number of furnace head: 2
Furnace head power:
1x1800w,1x1200w
Functional shift: 9
Timing: 180min

■ **Package**

Gross weight: 6.5 Kg
Net weight: 5.75 Kg
Dimension: 300 x510x80mm
Built-in size: 270 x490x100mm
Packing size: 390 x600x150mm
Loading(20/40/HQ):920/1871/2015


Art.No.:YD-ZW400D

■ **Category:** induction

■ **Material:** microcrystal

■ **Measurement:**300MM

■ **Specification**

Installation method: embedded
Number of furnace head: 2
Furnace head power:
1x1800w,1x1200w
Functional shift: 9
Timing: 180min

■ **Package**

Gross weight: 6.5 Kg
Net weight: 5.75 Kg
Dimension: 300 x510x80mm
Built-in size: 270 x490x100mm
Packing size: 390 x600x150mm
Loading(20/40/HQ):920/1871/2015


Art.No.:YD-ZW200BE

■ **Category:** electric ceramic

■ **Material:** microcrystal





■ **Measurement:**300MM

■ **Specification**

Installation method: embedded
Number of furnace head: 1
Furnace head power:
1x2300w
Functional shift: 10
Timing: 180min

■ **Package**

Gross weight: 3 Kg
Net weight: 2.5 Kg
Dimension: 305 x395x80mm
Built-in size: 290 x385x100mm
Packing size: 340 x420x135mm
Loading(20/40/HQ):2827/5751/6192



Art.No.:VTAK500-12D-SO Chinese Icon

■ **Category:** Built-in Steam-oven

■ **Material:** Inox Aisi 430/304 & Tempered Glass

■ **Measurement:**595MM

■ **Specification**


Capacity:80L
power:3100W
Function:12
Oven temperature range:50-250°C
Steam temperature range:50-100°C
Timing:60min
Cooling fan
Interior light
Double-glazed removable doorr

■ **Standard Accessory**

oven rack 1 PC,bake pan 1 PC
turnspit 1 PC,rack supporter 2 PC

■ **Package**

Gross Weight:36Kg
Net Weight:31Kg
Loading(20/40/HQ):114/233/251
Packing Dimensions(HxWxD):
690x655x655




Steaming and baking in one




Art.No.:VTA500-90L-MK

- **Category:** Built-in oven
- **Material:** Inox Aisi 430/304 & Tempered Glass
- **Measurement:** 895MM
- **Specification**
Capacity: 85L
power: 3400W
Function: 10
Temperature range: 50-250°C
Timing: 300min
Cooling fan
Interior light
Double-glazed removable door
- **Standard Accessory**
oven rack 1 PC, bake pan 1 PC
turnspit 1 PC, rack supporter 2 PC
- **Package**
Gross weight: 46 Kg
Net weight: 41 Kg
Loading(20/40/HQ): 54/117/144
Packing Dimensions(HxWxD):
965x715x635




Art.No.:VTA500-9TS

- **Category:** Built-in oven
- **Material:** Inox Aisi 430/304 & Tempered Glass
- **Measurement:** 595MM
- **Specification**
Capacity: 56L
power: 3000W
Function: 9
Temperature range: 50-250°C
Timing: 60min
Cooling fan
Interior light
Double-glazed removable door
- **Standard Accessory**
oven rack 1 PC, bake pan 1 PC
turnspit 1 PC, rack supporter 2 PC
- **Package**
Gross Weight: 43Kg
Net Weight: 40Kg
Loading(20/40/HQ): 114/233/251
Packing Dimensions(HxWxD):
670x660x660




Art.No.:GEHB66MSS

- **Category:** Built-in oven
- **Material:** Inox Aisi 430/304 & Tempered Glass
- **Measurement:** 595MM
- **Specification**
Capacity: 56L
power: 3200W
Function: 6
Gas & Electric Bi-energy
Temperature range: 50-250°C
Timing: 180min
Cooling fan
Interior light
Double-glazed removable door
- **Standard Accessory**
oven rack 1 PC, bake pan 1 PC
turnspit 1 PC, rack supporter 2 PC
- **Package**
Gross Weight: 43Kg
Net Weight: 40Kg
Loading(20/40/HQ): 114/233/251
Packing Dimensions(HxWxD):
670x660x660




Art.No.:VTA500-9TB

- **Category:** Built-in oven
- **Material:** Inox Aisi 430/304 & Tempered Glass
- **Measurement:** 595MM
- **Specification**
Capacity: 56L
power: 3000W
Function: 9
Temperature range: 50-270°C
Timing: 60min
Cooling fan
Interior light
Double-glazed removable door
- **Standard Accessory**
oven rack 1 PC, bake pan 1 PC
turnspit 1 PC, rack supporter 2 PC
- **Package**
Gross Weight: 43Kg
Net Weight: 40Kg
Loading(20/40/HQ): 114/233/251
Packing Dimensions(HxWxD):
670x660x660mm



The clocker Made in Italy



Art.No.:VTAK500-268B/W

■ **Category:** Built-in oven

■ **Material:** Brushed Surface & Tempered Glass

■ **Measurement:** 595MM

■ **Specification**

Capacity: 58L
power: 1985W
Function: 6
Temperature range: 50-250°C
Timing: 180min
Classical Clock Made in Italy
Cooling fan
Interior light
Double-glazed removable door

■ **Standard Accessory**

oven rack 1 PC, bake pan 1 PC
turnspit 1 PC

■ **Package**


Gross Weight: 34Kg
Net Weight: 30Kg
Loading (20/40/HQ): 114/233/251
Packing Dimensions (HxWxD):
670x660x660mm



B




W






Art.No.:VTAK60-5M-603B

- **Category:** Built-in oven
- **Material:** Inox Aisi 430/304 & Tempered Glass
- **Measurement:** 595MM
- **Specification**
Capacity: 57L
power: 2300W
Function: 4
Temperature range: 50-250°C
Timing: 120min
Cooling fan
Interior light
Double-glazed removable door
- **Standard Accessory**
oven rack 1 PC, bake pan 1 PC
- **Package**
Gross Weight: 34Kg
Net Weight: 31Kg
Loading(20/40/HQ): 81/162/216
Packing Dimensions(HxWxD): 640x655x660mm




Art.No.:VTAK60-5M-603S

- **Category:** Built-in oven
- **Material:** Inox Aisi 430/304 & Tempered Glass
- **Measurement:** 595MM
- **Specification**
Capacity: 57L
power: 2300W
Function: 4
Temperature range: 50-250°C
Timing: 120min
Cooling fan
Interior light
Double-glazed removable door
- **Standard Accessory**
oven rack 1 PC, bake pan 1 PC
- **Package**
Gross Weight: 34Kg
Net Weight: 31Kg
Loading(20/40/HQ): 81/162/216
Packing Dimensions(HxWxD): 640x655x660mm




Art.No.:VTAK60-5M-OO

- **Category:** Built-in oven
- **Material:** Inox Aisi 430/304 & Tempered Glass
- **Measurement:** 595MM
- **Specification**
Capacity: 57L
power: 2300W
Function: 4
Temperature range: 50-250°C
Timing: 120min
Cooling fan
Interior light
Double-glazed removable door
- **Standard Accessory**
oven rack 1 PC, bake pan 1 PC
- **Package**
Gross Weight: 34Kg
Net Weight: 31Kg
Loading(20/40/HQ): 81/162/216
Packing Dimensions(HxWxD): 640x655x660mm



Art.No.:VTAK60-6D-FO

- **Category:** Built-in oven
- **Material:** Inox Aisi 430/304 & Tempered Glass
- **Measurement:** 595MM
- **Specification**
Capacity: 57L
power: 2300W
Function: 6
Temperature range: 50-250°C
Timing: 180min
Cooling fan
Interior light
Double-glazed removable door
- **Standard Accessory**
oven rack 1 PC, bake pan 1 PC
turnspit 1 PC
- **Package**
Gross Weight: 34Kg
Net Weight: 31Kg
Loading(20/40/HQ): 81/162/216
Packing Dimensions(HxWxD): 640x655x660mm





Art.No.: NJX10A.B-30Q (S.S)

Art.No.: NJX10A.B-30N (Glass)

■ **Category:** Built-in Warming drawer

■ **Appearance**

Panel: 304 Stainless Steel / Black glass

■ **Measurement:** 597MM

■ **Specification**

Gross capacity: 30L
Control system: 120 mins mechanical Timer
304S/S door panel design/Full glass design
With HANDLE
Max. 75°C to keep dishes warm
Rated Voltage: 220-240V
Frequency: 50/60Hz
Max Power: 515W

■ **Standard Accessory**

oven rack 1 PC, bake pan 1 PC
turnspit 1 PC

■ **Package**


Product size (WxDxH): 597x530x140mm
Package size (WxDxH): 645x640x190mm
Cutout Dimension (WxDxH): 560x550x145mm
N.W. (Oven): 15Kg
G.W. (Oven): 16Kg
20FCL/40HQ/40GP: 297/702/594



S.S



Glass



Hood + Hob + Dishwasher 3in1



Pressure washing



Intelligent drying



Clean and bright



Art.No.:H-H-D39 Chinese Icon

■ **Category:** Integrated stove

■ **Material:** Inox Aisi 430/304 & Tempered Glass

■ **Measurement:** 900MM

■ **Specification**

12VDC cold light strip
3 Speeds LCD Touch Control
Baffle Filter with Stainless Steel Surface
1X Grease Cup
160mm Air Outlet
1000m³/h

■ **Accidental flameout protection device**

Furnace frame material: cast iron
Installation method: embedded
Number of furnace head: 2

■ **Copper Burner**


Furnace head power:
LPG: 2x4200w/NG: 2x5000w
Ignition way: electronic pulse
Liner material: 304 stainless steel
8 place settings
Water consumption: 9.3L
Dishwasher heating temperature 75 °C
8 place settings
Rated power: 1662W
High temperature spray
Intelligent drying and disinfection

■ **Standard Accessory**

oven rack 1 PC, bake pan 1 PC
turnspit 1 PC

■ **Package**

Gross Weight: 107Kg
Net Weight: 92Kg
Loading(40'HQ): 99
Packing Dimensions(HxWxD):
980x680x1055mm






Art.No.:JJZY-A Chinese Icon

- **Category:** Integrated stove
- **Material:** Inox Aisi 430/304 & Tempered Glass
- **Measurement:**900MM

- **Specification**
Capacity:66L
Oven power:2660W
Gas burners:2x5000W
Motor power:315W
Air flow:1080m³/h
180mm Air outlet
Furnace frame material: cast iron
Installation method: vertical
Temperature range:50-250°C
Applicable Gas: LPG, NG
Interior light
Double-glazed removable door

- **Standard Accessory**
oven rack 1 PC,bake pan 1 PC
turnspit 1 PC

- **Package**
Gross Weight:107Kg
Net Weight:92Kg
Loading(40'HQ):99
Packing Dimensions(HxWxD):
980x680x1055mm




Art.No.:JJZY-B Chinese Icon

- **Category:** Integrated stove
- **Material:** Inox Aisi 430/304 & Tempered Glass
- **Measurement:**900MM

- **Specification**
Capacity:66L
Gas burners:2x4500W
Motor power:315W
Air flow:1080m³/h
180mm Air outlet
Furnace frame material: cast iron
Installation method: vertical
Ozone disinfection
Infrared drying
Applicable Gas: LPG, NG

- **Standard Accessory**
oven rack 1 PC,bake pan 1 PC
turnspit 1 PC



- **Package**
Gross Weight:107Kg
Net Weight:92Kg
Loading(40'HQ):99
Packing Dimensions(HxWxD):
980x680x1055mm






Art.No.:E5S1

- **Category:** Vertical oven
- **Material:** Inox Aisi 430/304 & Tempered Glass
- **Measurement:** 800MM
- **Specification**
Capacity: 92L
Oven power: 1000W+1500W
Hob power: 1x2500W, 4x1200W
Black microcrystalline panel
Installation method: vertical
Temperature range: 50-250°C
Thermal circulation fan
Interior light
Double-glazed removable door
- **Standard Accessory**
oven rack 1 PC, bake pan 1 PC
turnspit 1 PC
- **Package**
Gross Weight: 53Kg
Net Weight: 51Kg
Loading(40'HQ): 99
Packing Dimensions(HxWxD):
870x834x690mm




Art.No.:G4S/G4SE1 (Electric oven)

- **Category:** Vertical oven
- **Material:** Inox Aisi 430/304 & Tempered Glass
- **Measurement:** 600MM
- **Specification**
Capacity: 68L
Oven power: 2400W
Gas burners: 1x3400W, 1x2400W, 1x1500W, 1x1000W
Furnace frame material: cast iron
Installation method: vertical
Temperature range: 50-250°C
Applicable Gas: LPG, NG, TG
Interior light
Double-glazed removable door
- **Standard Accessory**
oven rack 1 PC, bake pan 1 PC
turnspit 1 PC
- **Package**
Gross Weight: 45Kg
Net Weight: 43Kg
Loading(40'HQ): 99
Packing Dimensions(HxWxD):
880x655x690mm



Art.No.:G5S1 MOQ:30pcs

- **Category:** Vertical oven
- **Material:** Inox Aisi 430/304 & Tempered Glass
- **Measurement:** 900MM
- **Specification**
Capacity: 92L
Oven power: 2100W
Gas burners: 1x3400W, 1x2400W, 2x1500W, 1x1000W
Furnace frame material: cast iron
Installation method: vertical
Temperature range: 50-250°C
Applicable Gas: LPG, NG, TG
Interior light
Double-glazed removable door
- **Standard Accessory**
oven rack 1 PC, bake pan 1 PC
turnspit 1 PC
- **Package**
Gross Weight: 73Kg
Net Weight: 70Kg
Loading(40'HQ): 99
Packing Dimensions(HxWxD):
870x930x690mm




Art.No.:YD-710S



- **Category:** Vertical oven
- **Material:** Inox Aisi 430/304 & Tempered Glass
- **Measurement:**600MM
- **Specification**
Capacity:63L
Oven power:3500W
Gas burners:1x3400W,1x2400W,1x1500W,1x800W
Furnace frame material: cast iron
Installation method: vertical
Temperature range:50-220°C
Applicable Gas: LPG, NG, TG
Interior light
Double-glazed removable door

- **Standard Accessory**
oven rack 1 PC,bake pan 1 PC
turnspit 1 PC

- **Package**
Gross Weight:35Kg
Net Weight:33Kg
Loading(40'HQ):171
Packing Dimensions(HxWxD):
860x620x570mm




Art.No.:YD-702S



- **Category:** Vertical oven
- **Material:** Inox Aisi 430/304 & Tempered Glass
- **Measurement:**600MM
- **Specification**
Capacity:63L
Oven power:3500W
Gas burners:1x2400W,1x1800W
Elctrical hot plates:1x1500W,1x1000W
Furnace frame material: enamel
Installation method: vertical
Temperature range:50-220°C
Applicable Gas: LPG, NG, TG
Interior light
Double-glazed removable door

- **Standard Accessory**
oven rack 1 PC,bake pan 1 PC
turnspit 1 PC

- **Package**
Gross Weight:39Kg
Net Weight:35Kg
Loading(40'HQ):171
Packing Dimensions(HxWxD):
890x660x605mm




Art.No.:YD-70SS



- **Category:** Vertical oven
- **Material:** Inox Aisi 430/304 & Tempered Glass
- **Measurement:**600MM
- **Specification**
Capacity:63L
Oven power:4200W
Elctrical hot plates:2x1500W,2x900W
Installation method: vertical
Temperature range:50-230°C
Interior light
Double-glazed removable door

- **Standard Accessory**
oven rack 1 PC,bake pan 1 PC
turnspit 1 PC

- **Package**
Gross Weight:40Kg
Net Weight:35Kg
Loading(40'HQ):171
Packing Dimensions(HxWxD):
845x655x620mm




Art.No.:YD-510S



- **Category:** Vertical oven
- **Material:** Inox Aisi 430/304 & Tempered Glass
- **Measurement:**485MM
- **Specification**
Capacity:51L
Oven power:2630W
Gas burners:1x2400W,2x1500W,1x1000W
Furnace frame material: cast iron
Installation method: vertical
Temperature range:50-220°C
Applicable Gas: LPG, NG, TG
Double-glazed removable door

- **Standard Accessory**
oven rack 1 PC

- **Package**
Gross Weight:28Kg
Net Weight:26Kg
Packing Dimensions(HxWxD):
860x570x508mm





Art.No.:YD-906S

■ **Category:** Vertical oven

■ **Material:** Inox Aisi 430/304 & Tempered Glass

■ **Measurement:**900MM

■ **Specification**

Capacity:95.6L
Oven power:3980W
Gas burners:1x3200W,2x2400W,2x1500W,1x800W
Furnace frame material: cast iron
Installation method: vertical
Temperature range:50-220°C
Applicable Gas: LPG, NG, TG
Interior light
Double-glazed removable door


■ **Standard Accessory**

oven rack 1 PC,bake pan 1 PC
turnspit 1 PC


■ **Package**

Gross Weight:66Kg
Net Weight:62Kg
Loading(40'HQ):132
Packing Dimensions(HxWxD):
865x950x675mm

Hob:



A:3200W B:2400W
C:1500W D:800W



Art.No.:YD-906E

■ **Category:** Vertical oven

■ **Material:** Inox Aisi 430/304 & Tempered Glass

■ **Measurement:**900MM

■ **Specification**

Capacity:95.6L
Oven power:3980W
Gas burners:2x2400W,2x1500W
Elctrical hot plates:1x1500W,1x1200W
Furnace frame material: cast iron
Installation method: vertical
Temperature range:50-250°C
Applicable Gas: LPG, NG, TG
Interior light
Double-glazed removable door


■ **Standard Accessory**

oven rack 1 PC,bake pan 1 PC
turnspit 1 PC


■ **Package**

Gross Weight:66Kg
Net Weight:62Kg
Loading(40'HQ):132
Packing Dimensions(HxWxD):
865x950x675mm

Hob:



A:2400W B:1500W
C:1200W



Art.No.:YD-905S

■ **Category:** Vertical oven

■ **Material:** Inox Aisi 430/304 & Tempered Glass

■ **Measurement:**900MM

■ **Specification**


Capacity:95L
Oven power:4000W
Gas burners:1x3200W,1x2400W,2x1500W,1x800W
Furnace frame material: cast iron
Installation method: vertical
Temperature range:50-250°C
Applicable Gas: LPG, NG, TG
Interior light
Double-glazed removable door

■ **Standard Accessory**

oven rack 1 PC,bake pan 1 PC
turnspit 1 PC

■ **Package**

Gross Weight:53Kg
Net Weight:48Kg
Loading(40'HQ):132
Packing Dimensions(HxWxD):
890x950x605mm



Art.No.:YD-760S

■ **Category:** Vertical oven

■ **Material:** Inox Aisi 430/304 & Tempered Glass

■ **Measurement:**760MM

■ **Specification**


Capacity:95.6L
Oven power:3980W
Gas burners:2x2400W,2x1500W,2x1200W
Furnace frame material: cast iron
Installation method: vertical
Temperature range:50-220°C
Applicable Gas: LPG, NG, TG
Interior light
Double-glazed removable door

■ **Standard Accessory**

oven rack 1 PC,turnspit 1 PC

■ **Package**


Gross Weight:35Kg
Net Weight:33Kg
Loading(40'HQ):150
Packing Dimensions(HxWxD):
840x770x630mm






Art.No.:25UG21-L-I

- **Category:** Built-in Microwave
- **Material:** Inox Aisi 430/304 & Tempered Glass
- **Measurement:**595MM
- **Specification**
Capacity:25L
Input Power:1400W
Output Power:900W
Grill Power:1000W
Microwave Frequency:2450MHz
Power levels:5
Type of control:Digital
Type of door open:Push button door
Glass turntable:315mm
Interior cavity:stainless steel
Double-glazed removable door
- **Standard Accessory**
Glass turntable 1 PC, stainless steel frame 1 PC
- **Package**
Gross Weight:18Kg
Net Weight:17Kg
Loading(20/40/HQ):281/573/617
Packing Dimensions(HxWxD):
665x415x466mm



Art.No.:25UG21-L-B

- **Category:** Built-in Microwave
- **Material:** Plexiglass
- **Measurement:**595MM
- **Specification**
Capacity:25L
Input Power:1400W
Output Power:900W
Grill Power:1000W
Microwave Frequency:2450MHz
Power levels:5
Type of control:Digital
Type of door open:Push button door
Glass turntable:315mm
Interior cavity:stainless steel
Double-glazed removable door
- **Standard Accessory**
Glass turntable 1 PC, stainless steel frame 1 PC
- **Package**
Gross Weight:18Kg
Net Weight:17Kg
Loading(20/40/HQ):281/573/617
Packing Dimensions(HxWxD):
665x415x466mm



STEAM BOX BUILT-IN SERIES



Art.No.:VT-SK1R50A Chinese Icon

■ **Category:** Built-in Steam box

■ **Material:** Inox Aisi 430/304 & Tempered Glass

■ **Measurement:** 595MM

■ **Specification**


Capacity: 35L
Power: 1750W
Function: steam
Temperature range: 50-100°C
Water tank: 1.3L
Cooling fan
Interior light
Double-glazed removable door

■ **Standard Accessory**

stainless steel frame 1 PC, steam pan 2 PC

■ **Package**

Gross Weight: 27Kg
Net Weight: 25Kg
Loading(20/40/HQ): 178/362/390
Packing Dimensions(HxWxD):
670x520x575mm



Art.No.:VT-SK1R51A Chinese Icon

■ **Category:** Built-in Steam box

■ **Material:** Inox Aisi 430/304 & Tempered Glass

■ **Measurement:** 595MM

■ **Specification**


Capacity: 35L
Power: 1750W
Function: steam
Temperature range: 50-100°C
Water tank: 1.3L
Cooling fan
Interior light
Double-glazed removable door

■ **Standard Accessory**

stainless steel frame 1 PC, steam pan 2 PC

■ **Package**

Gross Weight: 27Kg
Net Weight: 25Kg
Loading(20/40/HQ): 178/362/390
Packing Dimensions(HxWxD):
670x520x575mm



DISHWASHER BUILT-IN SERIES

Art.No.:YD-WH60X01

■ **Category:** Built-in Dishwasher

■ **Material:** Tempered glass


■ **Measurement:** 600MM

■ **Specification**

Liner material: 304 stainless steel
 Installation method: embedded dual-use
 Control method: touch control
 Water consumption: 9L
 Rated water pressure: 0.04-1.00MPa
 8 place settings
 Rated power: 1850W
 Washing method: high temperature spray
 Drying method: drying at the residual temperature
 exhausting the fan

■ **Package**

1pc/ctn, N.W.33kgs, G.W.36kgs
 Product size: 595*495*625mm
 Carton size: 560*550*620mm




Art.No.:YD-WH9348A

■ **Category:** Built-in Dishwasher

■ **Material:** Brushed Surface


■ **Measurement:** 600MM

■ **Specification**

Semi built in design
Class A energy efficiency
Washing class A, Drying class A
12 place settings
Simple electronic control
6 washing programs+Soak function
Half load is optional
Flow heating element
· Aqua stop · water inlet hose
CE/SAA approval

■ **Package**

1pc/ctn, N.W.37kgs, G.W.43kgs
Product size:595*565*813mm
Carton size:635*630*884mm
1x20 · -54pcs,1x40 · -114pcs,1x40 · HQ-170pcs


Art.No.:YD-WH9360H

■ **Category:** Vertical Dishwasher

■ **Material:** Brushed Surface & S.S


■ **Measurement:** 600MM

■ **Specification**

Independent type design
Class A energy efficiency ,
Washing class A, Drying class A
12 place settings
Simple electronic control
6 washing programs+Soak function
Half load is optional
Flow heating element
· Aqua stop · water inlet hose
CE/SAA approval

■ **Package**

1pc/ctn, N.W.41.5kgs, G.W.47kgs
Product size:597*593*843mm
Carton size:645*645*884mm
1x20 · -54pcs,1x40 · -114pcs,1x40 · HQ-171pcs


Art.No.:YD-WH9345A

■ **Category:** Built-in Dishwasher

■ **Material:** Brushed Surface


■ **Measurement:** 450MM

■ **Specification**

Semi built in design
Class A energy efficiency
Washing class A, Drying class A
8 place settings
Simple electronic control
6 washing programs+Soak function
Half load is optional
Flow heating element
· Aqua stop · water inlet hose
CE/SAA approval

■ **Package**

1pc/ctn, N.W.37kgs, G.W.43kgs
Product size:445*550*820mm
Carton size:500*630*884mm
1x20 · -54pcs,1x40 · -114pcs,1x40 · HQ-171pcs


Art.No.:YD-WH9350A

■ **Category:** Built-in Dishwasher

■ **Material:** Brushed Surface


■ **Measurement:** 600MM

■ **Specification**

Semi-integrated
Class A energy efficiency
Washing class A, Drying class A
12 place settings
Simple electronic control
6 washing programs+Soak function
Half load is optional
Flow heating element
· Aqua stop · water inlet hose
CE/SAA approval

■ **Package**

1pc/ctn, N.W.37kgs, G.W.43kgs
Product size:595*565*813mm
Carton size:635*630*884mm
1x20 · -54pcs,1x40 · -114pcs,1x40 · HQ-170pcs



SINK-DISHWASHER



Art.No.:WQP8-Q601

■ **Category:** Sink-Dishwasher

■ **Material:** Inox Aisi 430/304 & Tempered Glass



■ **Measurement:** 1000MM

■ **Specification**

304 stainless steel Sink
8 place settings
Water consumption: 9.3L
Dishwasher heating temperature 75 °C
8 place settings
Rated water pressure: 0.1-0.4MPa
Rated power: 1100-1200W
High temperature spray
Intelligent drying and disinfection

■ **Package**

1pc/ctn, N.W.41.5kgs, G.W.47kgs
Product size:597*593*843mm
Carton size:645*645*884mm
1x20 • -54pcs, 1x40 • -114pcs, 1x40 • HQ-171pcs




Smart sink

Built-In SERIES



3 in 1Function



Save space



Manual sink



Removal of residual
pesticides



Cleaning seafood
and fruits



Save water
Save electricity

Art.No.:WQP6-03

■ **Category:** Sink-Dishwasher

■ **Material:** Inox Aisi 430/304 & Tempered Glass

■ **Measurement:**1110MM

■ Specification

304 stainless steel Sink
6 place settings
Water consumption: 9-12L
Dishwasher heating temperature 75 °C
8 place settings
Rated water pressure: 0.04-1.0MPa
Rated power: 1980W
High temperature spray
Intelligent drying and disinfection

■ Package

1pc/ctn, N.W.35kgs, G.W.49.8kgs
Product size:W1110*D500*H630mm
Built-in size: W1070 xD465mm
Carton size:W1110*D500*H630mm



Art.No.:WQP6-02

■ **Category:** Sink-Dishwasher

■ **Material:** Inox Aisi 430/304 & Tempered Glass

■ **Measurement:**910MM

■ Specification

304 stainless steel Sink
6 place settings
Water consumption: 9-34L
Dishwasher heating temperature 75 °C
8 place settings
Rated water pressure: 0.04-1.0MPa
Rated power: 1980W
High temperature spray
Intelligent drying and disinfection

■ Package

1pc/ctn, N.W.30.5kgs, G.W.43.9kgs
Product size:W910*D500*H372mm
Built-in size: W865 xD465mm
Carton size:W1110*D500*H630mm




Intelligent drying Tumbling-box Washing Machine



Art.No.:10.5SFD14CA

Door opening method: front door opening
 Automated procedures
 Computer control
 Inner barrel material: STS
 Cabinet material: VCM
 Drainage method: upper drainage
 Number of washing programs: 14
 Reted Heating Input Power: 2000W
 Max. Input Power: 2200W
 Standard program water consumption (L): 78
 Standard program power consumption (KW/H): 0.96
 Energy efficiency rating: A+++
 Reted Spin Input Power: 500W
 Dewatering capacity KG: 10.5
 Reted Washing Input Power: 200W
 Washing speed: 45-50
 Washing ratio: 1.03
 Water temperature adjustment range: 0~95
 Voltage frequency: 220-240v/50-60Hz
 Product size: W565*D600*H850mm
 Packing size: 655x670x870mm
 Gross weight: 74kg, net weight: 70kg



Garbage disposal


- | | |
|--|---|
| (1) Three-point bayonet mounting system | (2) High quality ABS engineering plastic soundproof cover |
| (3) Dishwasher interface | (4) Enhanced 30% PA6 anticorrosive milling cavity |
| (5) Patented heightened stainless steel grinding system | (6) Cast alloy double-sided rotary cutter head |
| (7) Anticorrosive stainless steel cutter head | (8) High performance rubber oil seal |
| (9) Use aerospace grade lubricating oil for life oil bearing | (10) High torque ultra-quiet permanent magnet motor |
| (11) Protection reset switch | (12) Built-in air switch |





Art.No.:BCD-520WD

- Category: Vertical Refrigerator
- Material: Brushed Surface
- Measurement:911MM
- Specification
 - Rated voltage/frequency:220-240v/50-60Hz
 - Rated Current(A):1.2
 - Climate class:SN,N,ST,T
 - Total Storage Volume(L):520
 - Food Freezer Compartment Storage Volume(L):180
 - Fresh-Food Storage Volume(L):340
 - Freezing capacity(kg/24h):12
 - Energy consumption(kW.h/24h):1.28
 - Refrigerant:R600a
- Package
 - Dimensions(mm):911x686x1780
 - Packing Dimensions(mm):960x680x1845
 - Gross Weight(kg):93
 - Net Weight(kg):83



Black

Art.No.:552NFBK

- Category: Vertical Refrigerator
- Material: Brushed Surface
- Measurement:911MM
- Specification
 - Frequency conversion
 - Automatic ice making refrigerator all-in-one machine
 - Household large capacity side door
 - European and American fashion styles
 - Light up the luxury life
 - Fully automatic ice making, no need to manually add water to make ice, convenient and fast
 - Built-in water purification system, drip is a spring (Black plate + black single dark handle + built-in water purification system + compressor VTX1116Y + double pumping + frequency conversion bottom cooling + A++ energy consumption ten horizontal medium width ice machine display control)
 - European standard plug
- Package
 - Size 911×700×1780
 - Package size 968x750x1845
 - Gross weight 107Kg



Silver

Art.No.:606WHI

- Category: Vertical Refrigerator
- Material: Brushed Surface
- Measurement:911MM
- Specification
 - Frequency conversion
 - Automatic ice making refrigerator all-in-one machine
 - Household large capacity side door
 - European and American fashion styles
 - Light up the luxury life
 - Fully automatic ice making, no need to manually add water to make ice, convenient and fast
 - Built-in water purification system, drip is a spring (Colorful steel door panel + black double dark handle + built-in water purification system + VTX1116Y + double pumping + frequency conversion bottom cooling + horizontal medium width ice machine display control)
- Package
 - Size 911×700×1780
 - Package size 968x750x1845
 - Gross weight 97Kg



Art.No.:BCD-277-MKQ05F

■ **Category:** Built-in Refrigerator

■ **Material:** Brushed Surface

■ **Measurement:** 540MM

■ **Specification**

Built-in design

Total Storage Volume : 277L

Refrigerator Storage Volume : 154L

Refrigerator,Amount : R600a,41g

Rated Voltage:220-240V~

Rated Frequency:50-60Hz

Cilmate Class:N-ST

Rated Current:0.8A

Rated Defrost Power:207W

Lamp Rated Power:1W

Freezing Capacity:3.5kg/24h

Energy Comsumption:283kWh/y

Pretection Against Electric Shock:I

Foaming Agent:Cyclopentane


Unit size: 550*560*1780mm

■ **Package**

N.W.56.5kg, G.W.62kg

1pc/ctn,Packaging size: 580x590x1840mm


Container loading: 40'HQ-113pcs






Art.No.:BCD-275-MKQOOF

- **Category:** Built-in Refrigerator
- **Material:** Brushed Surface
- **Measurement:** 540MM
- **Specification**
Built-in design
Total Storage Volume : 275L
Refrigerator Storage Volume : 208L
Refrigerator,Amount : R600a,43g
Rated Voltage:220-240V~
Rated Frequency:50-60Hz
Climate Class:N/ST/T
Rated Current:0.8A
Rated Defrost Power:180W
Lamp Rated Power:2W
Freezing Capacity:3.5kg/24h
Energy Consumption:283kWh/y
Protection Against Electric Shock:I
Foaming Agent:Cyclopentane
Unit size: 550*560*1780mm
- **Package**
N.W.56.5kg, G.W.62kg
1pc/ctn,Packaging size: 580x590x1840mm
Container loading: 40'HQ-113pcs



Art.No.:BCD-275-MKQO1


- **Category:** Built-in Refrigerator
- **Material:** Brushed Surface
- **Measurement:** 540MM
- **Specification**
Built-in design,
Net capacity 275L, Upper fridge 205L,
bottom freezer compartment70L;
C-Pantene foaming agent- FCKW free
R600a/R134a Refrigerant;
4 stars rating freezer;
A class energy consumption;
Mechanical temperature control
N/ST climate type
Replaceable interior light
4 glass shelves available in fridge compartment
2 crystal vegetable crisper with glass cover3 door baskets
3 drawers in freezer compartment
Unit size: 550*560*1780mm
- **Package**
N.W.63kg, G.W.67kg
1pc/ctn,Packaging size: 575x590x1830mm
Container loading: 40'HQ-113pcs






Art.No.:34BIA

- **Category:** Built-in Refrigerator
- **Material:** Brushed Surface
- **Measurement:** 540MM
- **Specification**
Built-in design
Total Gross Volume : 316L
Refrigerator,Amount : R600a,32g
Rated Voltage:220-240V~
Rated Frequency:50-60Hz
Climate Class:N/SN/ST
Rated Current:0.8A
Rated Defrost Power:80W
Lamp Rated Power:1W
Standard power consumption: 0.44kW·h/24h
Protection Against Electric Shock:I
Foaming Agent:Cyclopentane
Unit size: 560*550*1785mm
- **Package**
N.W.58kg, G.W.62kg
1pc/ctn,Packaging size : 583x593x1840mm
Container loading : 40'HQ-113pcs



Art.No.:29BIA


- **Category:** Built-in Refrigerator
- **Material:** Brushed Surface
- **Measurement:** 540MM
- **Specification**
Built-in design
Total Gross Volume : 228L
Refrigerator,Amount : R600a,98g
Rated Voltage:220-240V~
Rated Frequency:50-60Hz
Climate Class:N/SN/ST
Rated Current:0.70A
Rated Defrost Power:165W
Lamp Rated Power:1W
Freezing Capacity:11kg/24h
Protection Against Electric Shock:I
Foaming Agent:Cyclopentane
Unit size: 560*550*1785mm
- **Package**
N.W.52kg, G.W.60kg
1pc/ctn,Packaging size : 583x593x1840mm
Container loading : 40'HQ-113pcs






Art.No.:RD-118U-CO

- **Category:** Built-in Refrigerator
- **Material:** Brushed Surface
- **Measurement:**540MM
- **Specification**
Mechanical temperature control
R600a Refrigerant - HFC free
C-Pantene foaming - FCKW free
220-240v/50Hz, 'ST' climate
CE, RoHS, REACH, LFGB, ERP Certificates
Total Net Capacity:118L
Fridge Capacity (net):103L
Freezer Capacity (net):15L
Energy Class:A/A+
Star Rating:4*
Dimension(W*D*H): 540*540*870mm
- **Package**
1pc/ctn, N.W.32kg, G.W.38kg
1pc/ctn, Packaging size: 570x570x940mm
Loading (40'HC):208pcs



Art.No.:130NK

- **Category:** Built-in Refrigerator
- **Material:** Brushed Surface
- **Measurement:**600MM
- **Specification**
Mechanical temperature control
R600a Refrigerant - HFC free
C-Pantene foaming - FCKW free
220-240v/50Hz, 'ST' climate
CE, RoHS, REACH, LFGB, ERP Certificates
Total Net Capacity:99L
Fridge Capacity (net):95L
Freezer Capacity (net):4L
Energy Class:A/A+
Star Rating:4*
Dimension(W*D*H): 595*550*825mm
- **Package**
1pc/ctn, N.W.30.2kg, G.W.33kg
1pc/ctn, Packaging size: 620x565x850mm
Loading (40'HC):208pcs





Art.No.:YD-801S

■ **Category:** Built-in Sterilizer

■ **Material:** Tempered glass & S.S


■ **Measurement:** 595MM

■ **Specification**

Touch screen LED display
 Embedded hidden door handle
 Multiple high temperature disinfection way,
 *Ultraviolet light
 *Far infrared ray
 *High temperature
 *Ozone
 Material: Tempered Glass
 Capacity: 110 L
 * Product size: 615 * 560 * 500 (mm)

■ **Package**

GW/NW:29kg/27kg
 Packing size (L/W/H/mm) : 650 x560x715
 Loading(20/40/HQ):129/264/284



Art.No.:YD-90A

■ **Category:** Built-in Sterilizer

■ **Material:** Tempered glass & S.S


■ **Measurement:** 595MM

■ **Specification**

Touch screen LED display
 Embedded hidden door handle
 Multiple high temperature disinfection way,
 *Ultraviolet light
 *Far infrared ray
 *High temperature
 *Ozone
 Material: Tempered Glass
 Capacity: 90 L
 * Product size: 600 * 560 * 500 (mm)

■ **Package**

GW/NW:29kg/27kg
 Packing size (L/W/H/mm) : 650 x560x715
 Loading(20/40/HQ):129/264/284





Cup of coffee quality from start to life



Auto Maker



Automatic Grinding



250g Bean Tank



Anti-dry Alarm



Automatic Foam



Art.No.:YD-CM05-CO

■ **Category:** Built-in Coffee Machine

■ **Material:** S.S


■ **Measurement:** 595MM

■ **Specification**

Switch: Touch screen
Voltage: 220~240V/110~127V
Frequency: 50HZ/60HZ
Water-tank Capacity: 2000 ml
Bean-tank Capacity: 250 g
Max system pressure: 15bar ULKA Pump from Italy
Power: 1250W-1500W
Build-in Depth: 53 cm
Product size(W*H*D): 595*455*550mm

■ **Package**

N.W/G.W: 21/25kg
Packing size: 660*660*560mm
Loading qty: 20'-200, 40'-419pcs, 40'HQ-503



**Art.No.:YD-SW-18**


■ **Category:** Built-in Wine Cabinet

■ **Material:** Tempered glass

■ **Measurement:** 557MM

■ **Specification**

The embedded design
 Bottling: 18
 Net volume (L/Cu. Ft.) : 65/2.3
 Refrigeration type: frost-free air-cooled single temperature zone
 Power supply: 220 ~ 240 v / 50 hz.
 Gas/Weight: R600a/15g
 Temperature control range (°C): 3 ~ 22
 Noise (dB) : 39
 Structure: a compound of embedded
 Temperature control: computer control
 Frost: automatically
 Cooling: straight cold
 Refrigerant: R600a
 Foaming agent: cyclopentane
 The tank: Black Embossed aluminum
 PVC door frame edge: black
 Handle: stainless steel handhandle
 Glass types: tempered glass tea
 Layer: wood floor frame / 3



■ **Package**

Product size: 557 x 522 x 455mm
 Packing size: 580 x 550 x 480mm
 Net weight/gross weight: 21/25


Art.No.:YD-600D

■ **Material:** Tempered glass

■ **Measurement:** 598MM

■ **Specification**

The embedded design
 Bottling: 177
 Net volume (L/Cu. Ft.) : 508
 Refrigeration type: frost-free air-cooled single temperature zone
 Power supply: 220 ~ 240 v / 50 hz.
 Climatic type: N,ST
 Temperature control range (°C): 5 ~ 22
 Noise (dB) : 39
 Structure: a compound of embedded
 Temperature control: computer control
 Frost: automatically
 Cooling: Air cooling
 Refrigerant: R600a
 Foaming agent: cyclopentane
 The tank: Black Embossed aluminum
 PVC door frame edge: black
 Handle: stainless steel handhandle
 Glass types: tempered glass tea
 Layer: wood floor frame / 13



■ **Package**

Product size(WxDxH): 598x760x1800mm
 Packing size(WxDxH): 660x800x1850mm
 Net weight/gross weight: 123/128




Art.No.:YD-900S

■ **Category:** Wine Cabinet

■ **Material:** Tempered glass

■ **Measurement:** 980MM

■ **Specification**

The embedded design
 Bottling: 340
 Net volume (L/Cu. Ft.) : 900
 Refrigeration type: frost-free air-cooled single temperature zone
 Power supply: 220 ~ 240 v / 50 hz.
 Climatic type: N,ST
 Temperature control range (°C): 5 ~ 22, 12-22
 Noise (dB) : 39
 Structure: a compound of embedded
 Temperature control: computer control
 Frost: automatically
 Cooling: Air cooling
 Refrigerant: R600a
 Foaming agent: cyclopentane
 The tank: Black Embossed aluminum
 PVC door frame edge: black
 Handle: stainless steel handshandle
 Glass types: tempered glass tea
 Layer: wood floor frame / 8

■ **Package**

Product size(WxDxH): 915x685x1800mm
 Packing size(WxDxH): 1030x750x1900mm
 Net weight/gross weight: 134/142

